






Door Closers

STANLEY Commercial Hardware QDC200 Series Heavy Duty Closer VS Arrow 5016N Series	 STANLEY Commercial Hardware	 ASSA ABLOY 
Certification	STANLEY QDC 200	Arrow 5016N Series
ANSI/BHMA Certified Grade 1	Yes	Yes
UL 3-Hour Fire Rated	Yes	Yes
UL 10B	Yes	No
UL 10C	Yes	Yes
ADA Compliant	Yes	Yes
Warranty	STANLEY QDC 200	Arrow 5016N Series
Finish Warranty	3-year	None
Mechanical Warranty	Lifetime	10-Year
Size & Construction	Stanley QDC 200	Arrow 5016N Series
Door Weights & Sizes	1-6 Standard	1-6 Standard
Handing	Non- Handed	Non-Handed
Closer Material	Cast Aluminum	Cast Aluminum
Pinion Shaft Construction	Heat Treated Chrome Molybdenum Steel	Hardened Steel
Main Arm Material	Heat Treated Carbon Steel	Steel
Staked Valves	No	Yes
Pressure Relief Valves	No	No
Valve Adjustment	Hex Key	Hex Key
Backcheck	Yes	Yes
Delayed Action	Yes	Optional
Closer Fluid	All Weather	All Weather
Installation & Finishes	STANLEY QDC 200	Arrow 5016N Series
Finishes	689, 690, 696	689, 690, 691, 696, 693
Metal & Wood Fasteners	Yes	Yes
Self Drilling & Tapping Fasteners	Optional	Yes
Full Size Plastic Cover	Yes	Yes
Slim Size Plastic Cover	Optional	Optional
Metal Cover	No	No
Options	Stanley QDC 200	Arrow 5016N Series
Tri-Pack Arm	Yes	Yes
Hold-Open Arm	Yes	Yes
Heavy Duty Arm with Stop	Yes	No
Heavy Duty Arm with Hold-Open and Stop	Yes	No




This is a general comparison of like products. Consult Manufacturer Catalog for Detail and Accuracy

Door Closers

STANLEY Commercial Hardware QDC200 Series Heavy Duty Closer VS Hager 5200 Series	 STANLEY Commercial Hardware	 
Certification	STANLEY QDC 200	Hager 5200
ANSI/BHMA Certified Grade 1	Yes	Yes
UL 3-Hour Fire Rated	Yes	Yes
UL 10B	Yes	Yes
UL 10C	Yes	Yes
ADA Compliant	Yes	Yes
Warranty	STANLEY QDC 200	Hager 5200
Finish Warranty	3-year	None
Mechanical Warranty	Lifetime	Lifetime
Size & Construction	STANLEY QDC 200	Hager 5200
Door Weights & Sizes	1-6 Standard	1-6 Standard
Handing	Non- Handed	Non- Handed
Closer Material	Cast Aluminum	Aluminum Alloy
Pinion Shaft Construction	Heat Treated Chrome Molybdenum Steel	Heat Treated Steel
Main Arm Material	Heat Treated Carbon Steel	Heat Treated Steel
Staked Valves	No	Check with Manufacturer
Pressure Relief Valves	No	No
Valve Adjustment	Hex Key	Hex Key
Backcheck	Yes	Yes
Delayed Action	Yes	Optional
Closer Fluid	All Weather	Check with Manufacturer
Installation & Finishes	STANLEY QDC 200	Hager 5200
Finishes	689, 690, 696	ALM, BRZ, DBZ, GOL, 605, 625, 626
Metal & Wood Fasteners	Yes	Yes
Self Drilling & Tapping Fasteners	Optional	Yes
Full Size Plastic Cover	Yes	Yes
Slim Size Plastic Cover	Optional	Optional
Metal Cover	No	Optional
Options	STANLEY QDC 200	Hager 5200
Tri-Pack Arm	Yes	Yes
Hold-Open Arm	Yes	Yes
Heavy Duty Arm with Stop	Yes	Yes
Heavy Duty Arm with Hold-Open and Stop	Yes	Yes

This is a general comparison of like products. Consult Manufacturer Catalog for Detail and Accuracy

Door Closers

STANLEY Commercial Hardware QDC200 Series Heavy Duty Closer VS Falcon SC80 Series	 STANLEY Commercial Hardware	  FALCON
Certification	STANLEY QDC 200	Falcon SC80
ANSI/BHMA Certified Grade 1	Yes	Yes
UL 3-Hour Fire Rated	Yes	Yes
UL 10B	Yes	No
UL 10C	Yes	Yes
ADA Compliant	Yes	Yes
Warranty	STANLEY QDC 200	Falcon SC80
Finish Warranty	3-year	None
Mechanical Warranty	Lifetime	10-Year
Size & Construction	STANLEY QDC 200	Falcon SC80
Door Weights & Sizes	1-6 Standard	1-6 Standard
Handing	Non- Handed	Non-Handed
Closer Material	Cast Aluminum	Aluminum
Pinion Shaft Construction	Heat Treated Chrome Molybdenum Steel	Heat Treated Steel
Main Arm Material	Heat Treated Carbon Steel	Stamped Steel
Staked Valves	No	No
Pressure Relief Valves	No	No
Valve Adjustment	Hex Key	Hex Socket
Backcheck	Yes	Yes
Delayed Action	Yes	Optional
Closer Fluid	All Weather	All Weather
Installation & Finishes	STANLEY QDC 200	Falcon SC80
Finishes	689, 690, 696	689, 695, 696
Metal & Wood Fasteners	Yes	Yes
Self Drilling & Tapping Fasteners	Optional	Yes
Full Size Plastic Cover	Yes	Yes
Slim Size Plastic Cover	Optional	Optional
Metal Cover	No	No
Options	STANLEY QDC 200	Falcon SC80
Tri-Pack Arm	Yes	Yes
Hold-Open Arm	Yes	Yes
Heavy Duty Arm with Stop	Yes	Yes
Heavy Duty Arm with Hold-Open and Stop	Yes	Yes




This is a general comparison of like products. Consult Manufacturer Catalog for Detail and Accuracy

Door Closers

STANLEY Commercial Hardware QDC200 Series Heavy Duty Closer VS PDQ 5300 Series	 STANLEY Commercial Hardware	 
Certification	STANLEY QDC 200	PDQ 5300
ANSI/BHMA Certified Grade 1	Yes	Yes
UL 3-Hour Fire Rated	Yes	Yes
UL 10B	Yes	No
UL 10C	Yes	Yes
ADA Compliant	Yes	Yes
Warranty	STANLEY QDC 200	PDQ 5300
Finish Warranty	3-year	None
Mechanical Warranty	Lifetime	25-year
Size & Construction	STANLEY QDC 200	PDQ 5300
Door Weights & Sizes	1-6 Standard	1-6 Standard
Handing	Non- Handed	Non-Handed
Closer Material	Cast Aluminum	Aluminum Alloy
Pinion Shaft Construction	Heat Treated Chrome Molybdenum Steel	Steel
Main Arm Material	Heat Treated Carbon Steel	Unknown
Staked Valves	No	No
Pressure Relief Valves	No	No
Valve Adjustment	Hex Key	Hex Key
Backcheck	Yes	Yes
Delayed Action	Yes	Optional
Closer Fluid	All Weather	Check with Manufacturer
Installation & Finishes	STANLEY QDC 200	PDQ 5300
Finishes	689, 690, 696	Alum, DKB, Gold, 605,625
Metal & Wood Fasteners	Yes	Yes
Self Drilling & Tapping Fasteners	Optional	Optional
Full Size Plastic Cover	Yes	Optional
Slim Size Plastic Cover	Optional	Yes
Metal Cover	No	No
Options	STANLEY QDC 200	PDQ 5300
Tri-Pack Arm	Yes	Yes
Hold-Open Arm	Yes	Yes
Heavy Duty Arm with Stop	Yes	No
Heavy Duty Arm with Hold-Open and Stop	Yes	No





This is a general comparison of like products. Consult Manufacturer Catalog for Detail and Accuracy

Door Closers

STANLEY Commercial Hardware QDC200 Series Heavy Duty Closer VS Dorma 8600 Series	 STANLEY Commercial Hardware	 
Certification	STANLEY QDC 200	Dorma 8600
ANSI/BHMA Certified Grade 1	Yes	Yes
UL 3-Hour Fire Rated	Yes	Yes
UL 10B	Yes	No
UL 10C	Yes	Yes
ADA Compliant	Yes	Yes
Warranty	STANLEY QDC 200	Dorma 8600
Finish Warranty	3-year	None
Mechanical Warranty	Lifetime	25-year
Size & Construction	STANLEY QDC 200	Dorma 8600
Door Weights & Sizes	1-6 Standard	1-6 Standard
Handing	Non- Handed	Non-Handed
Closer Material	Cast Aluminum	Aluminum
Pinion Shaft Construction	Heat Treated Chrome Molybdenum Steel	Heat Treated
Main Arm Material	Heat Treated Carbon Steel	Stamped Steel
Staked Valves	No	No
Pressure Relief Valves	No	No
Valve Adjustment	Hex Key	Hex Nut
Backcheck	Yes	Yes
Delayed Action	Yes	Optional
Closer Fluid	All Weather	All Weather
Installation & Finishes	STANLEY QDC 200	Dorma 8600
Finishes	689, 690, 696	605, 606, 611, 612, 613, 618, 619, 625, 626, 630, 600, 689, 690, 691, 693, 695, 696
Metal & Wood Fasteners	Yes	Yes
Self Drilling & Tapping Fasteners	Optional	Yes
Full Size Plastic Cover	Yes	Optional
Slim Size Plastic Cover	Optional	Yes
Metal Cover	No	Optional
Options	STANLEY QDC 200	Dorma 8600
Tri-Pack Arm	Yes	Yes
Hold-Open Arm	Yes	Yes
Heavy Duty Arm with Stop	Yes	Yes
Heavy Duty Arm with Hold-Open and Stop	Yes	Yes



This is a general comparison of like products. Consult Manufacturer Catalog for Detail and Accuracy

Door Closers

STANLEY Commercial Hardware QDC200 Series Heavy Duty Closer VS LCN 1460 Series	 STANLEY Commercial Hardware	  ALLEGION  LCN
Certification	STANLEY QDC 200	LCN 1460
ANSI/BHMA Certified Grade 1	Yes	Yes
UL 3-Hour Fire Rated	Yes	Yes
UL 10B	Yes	
UL 10C	Yes	Yes
ADA Compliant	Yes	Yes
Warranty	STANLEY QDC 200	LCN 1460
Finish Warranty	3-year	None
Mechanical Warranty	Lifetime	10-year
Size & Construction	STANLEY QDC 200	LCN 1460
Door Weights & Sizes	1-6 Standard	1-6 Standard
Handing	Non- Handed	Non-Handed
Closer Material	Cast Aluminum	Cast Iron
Pinion Shaft Construction	Heat Treated Chrome Molybdenum Steel	Heat Treated Steel
Main Arm Material	Heat Treated Carbon Steel	Forged Steel
Staked Valves	No	Yes
Pressure Relief Valves	No	Check with Manufacturer
Valve Adjustment	Hex Key	Check With Manufacturer
Backcheck	Yes	Yes
Delayed Action	Yes	Optional
Closer Fluid	All Weather	All Weather
Installation & Finishes	STANLEY QDC 200	LCN 1460
Finishes	689, 690, 696	689, 690, 691, 693, 695, 696, 605, 606, 612, 613, 619, 626
Metal & Wood Fasteners	Yes	Yes
Self Drilling & Tapping Fasteners	Optional	Yes
Full Size Plastic Cover	Yes	Optional
Slim Size Plastic Cover	Optional	Yes
Metal Cover	No	No
Options	STANLEY QDC 200	LCN 1460
Tri-Pack Arm	Yes	Yes
Hold-Open Arm	Yes	Yes
Heavy Duty Arm with Stop	Yes	Yes
Heavy Duty Arm with Hold-Open and Stop	Yes	Yes




This is a general comparison of like products. Consult Manufacturer Catalog for Detail and Accuracy

Door Closers

<p>STANLEY Commercial Hardware QDC200 Series Heavy Duty Closer VS Sargent 1430 Series</p>	 STANLEY Commercial Hardware	 ASSA ABLOY SARGENT
Certification	STANLEY QDC 200	Sargent 1430
ANSI/BHMA Certified Grade 1	Yes	Yes
UL 3-Hour Fire Rated	Yes	Yes
UL 10B	Yes	No
UL 10C	Yes	Yes
ADA Compliant	Yes	Yes
Warranty	STANLEY QDC 200	Sargent 1430
Finish Warranty	3-year	None
Mechanical Warranty	Lifetime	10-year
Size & Construction	STANLEY QDC 200	Sargent 1430
Door Weights & Sizes	1-6 Standard	1-6 Standard
Handing	Non- Handed	Non-Handed
Closer Material	Cast Aluminum	Aluminum Alloy
Pinion Shaft Construction	Heat Treated Chrome Molybdenum Steel	Heat Treated Steel
Main Arm Material	Heat Treated Carbon Steel	Forged Steel
Staked Valves	No	Yes
Pressure Relief Valves	No	Yes
Valve Adjustment	Hex Key	Allen Wrench
Backcheck	Yes	Yes
Delayed Action	Yes	Optional
Closer Fluid	All Weather	All Weather
Installation & Finishes	STANLEY QDC 200	Sargent 1430
Finishes	689, 690, 696	605, 606, 611, 612, 613, 625, 626, 696, 690, 693, 689, 691
Metal & Wood Fasteners	Yes	Yes
Self Drilling & Tapping Fasteners	Optional	Yes
Full Size Plastic Cover	Yes	Yes
Slim Size Plastic Cover	Optional	Yes
Metal Cover	No	Optional
Options	STANLEY QDC 200	Sargent 1430
Tri-Pack Arm	Yes	Yes
Hold-Open Arm	Yes	Yes
Heavy Duty Arm with Stop	Yes	Yes
Heavy Duty Arm with Hold-Open and Stop	Yes	Yes

This is a general comparison of like products. Consult Manufacturer Catalog for Detail and Accuracy

Door Closers

STANLEY Commercial Hardware QDC200 Series Heavy Duty Closer VS Norton 8300/8500 Series	 STANLEY Commercial Hardware	 ASSA ABLOY 
Certification	STANLEY QDC 200	Norton 8300/8500
ANSI/BHMA Certified Grade 1	Yes	Yes
UL 3-Hour Fire Rated	Yes	Yes
UL 10B	Yes	No
UL 10C	Yes	Yes
ADA Compliant	Yes	Yes
Warranty	STANLEY QDC 200	Norton 8300/8500
Finish Warranty	3-year	None
Mechanical Warranty	Lifetime	25-year
Size & Construction	STANLEY QDC 200	Norton 8300/8500
Door Weights & Sizes	1-6 Standard	1-6 Standard
Handing	Non- Handed	Non-Handed
Closer Material	Cast Aluminum	Aluminum
Pinion Shaft Construction	Heat Treated Chrome Molybdenum Steel	Steel
Main Arm Material	Heat Treated Carbon Steel	Stamped Steel
Staked Valves	No	Yes
Pressure Relief Valves	No	"Delay" Only
Valve Adjustment	Hex Key	Hex Key
Backcheck	Yes	Yes
Delayed Action	Yes	Optional
Closer Fluid	All Weather	All Weather
Installation & Finishes	STANLEY QDC 200	Norton 8300/8500
Finishes	689, 690, 696	605, 606, 611, 612, 613, 618, 619, 625, 626, 630, 600, 689, 690
Metal & Wood Fasteners	Yes	Yes
Self Drilling & Tapping Fasteners	Optional	Yes
Full Size Plastic Cover	Yes	Optional
Slim Size Plastic Cover	Optional	Yes
Metal Cover	No	Optional
Options	STANLEY QDC 200	Norton 8300/8500
Tri-Pack Arm	Yes	Yes
Hold-Open Arm	Yes	Yes
Heavy Duty Arm with Stop	Yes	Yes
Heavy Duty Arm with Hold-Open and Stop	Yes	Yes

This is a general comparison of like products. Consult Manufacturer Catalog for Detail and Accuracy